

L Number	Hits	Search Text	DB	Time stamp
1	2828	hash\$3 near3 function\$1	USPAT; IBM_TDB	2004/03/09 14:59
2	672	(hash\$3 near3 function\$1) and (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1))	USPAT; IBM_TDB	2004/03/09 14:58
3	533	((hash\$3 near3 function\$1) and (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1))) and (encrypt\$3 encod\$3 encipher\$4 cipher\$4 cryptograph\$6)	USPAT; IBM_TDB	2004/03/09 15:20
4	1060	(hash\$3 near3 function\$1) and (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))	USPAT; IBM_TDB	2004/03/09 15:00
5	3443	hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3	USPAT; IBM_TDB	2004/03/09 15:33
6	1297	(hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3) and (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))	USPAT; IBM_TDB	2004/03/09 15:21
7	157963	(allow\$3 enabl\$3 on) near3 (function\$1 component\$1 switch\$2)	USPAT; IBM_TDB	2004/03/09 15:02
8	374	((hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3) and (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and ((allow\$3 enabl\$3 on) near3 (function\$1 component\$1 switch\$2))	USPAT; IBM_TDB	2004/03/09 15:03
9	229	((hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3) and (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and ((allow\$3 enabl\$3 on) near3 (function\$1 component\$1 switch\$2))) and (nonvolatile non-volatile nvm nvram rom eeprom eeprom cmos (flash near memory) (core near memory))	USPAT; IBM_TDB	2004/03/09 15:05
10	138	((hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3) and (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and ((allow\$3 enabl\$3 on) near3 (function\$1 component\$1 switch\$2))) and (nonvolatile non-volatile nvm nvram rom eeprom eeprom cmos (flash near memory) (core near memory))) and (public near2 key\$1)	USPAT; IBM_TDB	2004/03/09 15:11

12	45	(((((hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3) and (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and ((allow\$3 enabl\$3 on) near3 (function\$1 component\$1 switch\$2))) and (nonvolatile non-volatile nvm nvram rom eprom eeprom cmos (flash near memory) (core near memory))) and (public near2 key\$1)) and (multiplexor\$1 multiplexer\$1)	USPAT; IBM_TDB	2004/03/09 16:01
13	25	(((((hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3) and (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and ((allow\$3 enabl\$3 on) near3 (function\$1 component\$1 switch\$2))) and (nonvolatile non-volatile nvm nvram rom eprom eeprom cmos (flash near memory) (core near memory))) and (public near2 key\$1)) and (multiplexor\$1 multiplexer\$1)) and (gate (bond\$3 near2 logic\$1))	USPAT; IBM_TDB	2004/03/09 15:17
14	14294	((encrypt\$3 encod\$3 cipher\$4 encipher\$4 cryptograph\$5 key) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1)))	USPAT; IBM_TDB	2004/03/09 16:33
15	1187	((encrypt\$3 encod\$3 cipher\$4 encipher\$4 cryptograph\$5 key) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) with (compar\$4 match\$3 verif\$4 verification)	USPAT; IBM_TDB	2004/03/09 15:33
16	92	((((encrypt\$3 encod\$3 cipher\$4 encipher\$4 cryptograph\$5 key) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) with (compar\$4 match\$3 verif\$4 verification)) and (hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3)	USPAT; IBM_TDB	2004/03/09 15:39
17	5	((((encrypt\$3 encod\$3 cipher\$4 encipher\$4 cryptograph\$5 key) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) with (compar\$4 match\$3 verif\$4 verification)) and (hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3)) and (multiplexor\$1 multiplexer\$1)	USPAT; IBM_TDB	2004/03/09 16:52

18	24	(((((encrypt\$3 encod\$3 cipher\$4 encipher\$4 cryptograph\$5 key) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) with (compar\$4 match\$3 verif\$4 verification)) and (hash\$3 near3 function\$1) (one near3 hash\$3) (one-way near2 hash\$3)) and ((allow\$3 enabl\$3 on) near3 (function\$1 component\$1 switch\$2))	USPAT; IBM_TDB	2004/03/09 15:39
19	11978	(key\$1) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))	USPAT; IBM_TDB	2004/03/09 16:43
20	55155	(request\$3 suppl\$4 forward\$3 transmit\$4 transfer\$4 send\$3 give\$1) near5 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))	USPAT; IBM_TDB	2004/03/09 17:09
21	3284	((request\$3 suppl\$4 forward\$3 transmit\$4 transfer\$4 send\$3 give\$1) near5 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and ((key\$1) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1)))	USPAT; IBM_TDB	2004/03/09 16:33
22	3247	(encrypt\$3 encod\$3 cipher\$4 encipher\$4 cryptograph\$5 key) AND (((request\$3 suppl\$4 forward\$3 transmit\$4 transfer\$4 send\$3 give\$1) near5 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and ((key\$1) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))))	USPAT; IBM_TDB	2004/03/09 16:37
23	331	((encrypt\$3 encod\$3 cipher\$4 encipher\$4 cryptograph\$5 key) AND (((request\$3 suppl\$4 forward\$3 transmit\$4 transfer\$4 send\$3 give\$1) near5 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and ((key\$1) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))))	USPAT; IBM_TDB	2004/03/09 16:35
24	12	((key\$1) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and hash\$3 ((key\$1) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) with (ciphertext\$1 (cipher\$3 near3 text\$1))	USPAT; IBM_TDB	2004/03/09 16:36

26	1162	(encrypt\$3 encod\$3 cipher\$4 encipher\$4 cryptograph\$5) with ((key\$1) near7 (pin (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1)))	USPAT; IBM_TDB	2004/03/09 16:43
27	11455	(key\$1) near7 (passcode\$1 password\$1 PIN (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))	USPAT; IBM_TDB	2004/03/09 16:43
28	1080	(encrypt\$3 encod\$3 cipher\$4 encipher\$4 cryptograph\$5) with ((key\$1) near7 (passcode\$1 password\$1 PIN (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1)))	USPAT; IBM_TDB	2004/03/09 16:48
29	146	(hash\$3) near5 ((identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) (serial near2 number\$1) (component\$1 near2 id) (component\$1 near2 identification) (device\$1 near number\$1) (device near2 id) (device near2 identification\$1))	USPAT; IBM_TDB	2004/03/09 17:07
30	1080	(encrypt\$3 (cipher near2 text\$1) ciphertext\$1 cipher-text encod\$3 cipher\$4 encipher\$4 cryptograph\$5) with ((key\$1) near7 (passcode\$1 password\$1 PIN (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1)))	USPAT; IBM_TDB	2004/03/09 16:49
31	166	(hash\$3) near7 ((identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) (serial near2 number\$1) (component\$1 near2 id) (component\$1 near2 identification) (device\$1 near number\$1) (device near2 id) (device near2 identification\$1))	USPAT; IBM_TDB	2004/03/09 16:51
32	12	((encrypt\$3 (cipher near2 text\$1) ciphertext\$1 cipher-text encod\$3 cipher\$4 encipher\$4 cryptograph\$5) with ((key\$1) near7 (passcode\$1 password\$1 PIN (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1)))) and ((hash\$3) near7 ((identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) (serial near2 number\$1) (component\$1 near2 id) (component\$1 near2 identification) (device\$1 near number\$1) (device near2 id) (device near2 identification\$1)))	USPAT; IBM_TDB	2004/03/09 16:53
35	341	(hash\$3) near7 (mac (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) (serial near2 number\$1) (component\$1 near2 id) (component\$1 near2 identification) (device\$1 near number\$1) (device near2 id) (device near2 identification\$1))	USPAT; IBM_TDB	2004/03/09 17:21
36	29	((encrypt\$3 (cipher near2 text\$1) ciphertext\$1 cipher-text encod\$3 cipher\$4 encipher\$4 cryptograph\$5) with ((key\$1) near7 (passcode\$1 password\$1 PIN (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1)))) and ((hash\$3) near7 (mac (identificaton near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) (serial near2 number\$1) (component\$1 near2 id) (component\$1 near2 identification) (device\$1 near number\$1) (device near2 id) (device near2 identification\$1)))	USPAT; IBM_TDB	2004/03/09 17:10

37	53896	(request\$3 suppl\$4 forward\$3 transmit\$4 transfer\$4 sent send\$3 give\$1) near5 (pin passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))	USPAT; IBM_TDB	2004/03/09 17:32
38	14	((request\$3 suppl\$4 forward\$3 transmit\$4 transfer\$4 sent send\$3 give\$1) near5 (pin passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) and (((encrypt\$3 (cipher near2 text\$1) ciphertext\$1 cipher-text encod\$3 cipher\$4 encipher\$4 cryptograph\$5) with ((key\$1) near7 (passcode\$1 password\$1 PIN (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1)))) and ((hash\$3) near7 (mac (identification near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) (serial near2 number\$1) (component\$1 near2 id) (component\$1 near2 identification) (device\$1 near number\$1) (device near2 id) (device near2 identification\$1))))	USPAT; IBM_TDB	2004/03/09 17:12
39	1410	((request\$3 suppl\$4 forward\$3 transmit\$4 transfer\$4 sent send\$3 give\$1) near5 (pin passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) near7 (manufacturer\$1 provider\$1 server\$1 host\$1)	USPAT; IBM_TDB	2004/03/09 17:31
40	10	((hash\$3) near7 (mac (identification near2 number\$1) (id near2 number\$1) (identifier\$1 near2 number\$1) (serial near2 number\$1) (component\$1 near2 id) (component\$1 near2 identification) (device\$1 near number\$1) (device near2 id) (device near2 identification\$1))) and (((request\$3 suppl\$4 forward\$3 transmit\$4 transfer\$4 sent send\$3 give\$1) near5 (pin passcode\$1 password\$1 (id near2 code\$1) (identification near2 code\$1) (identifier\$1 near2 code\$1))) near7 (manufacturer\$1 provider\$1 server\$1 host\$1))	USPAT; IBM_TDB	2004/03/09 17:28